

Listing of the Claims

The following listing of claims will replace all prior versions and listings of the claims in the application:

1. (Currently Amended) A method for processing a plurality of swap requests comprising:

receiving a first swap request in a pipeline wherein the first swap request requests swapping active contents of a active register window with a first contents from a first register;

executing the first swap request including:

_____ executing a first save operation wherein the active contents of the active register window is saved to corresponding register; and

_____ executing a first restore operation, wherein the first contents of the first register are restored to the active register window;

receiving a second swap request in the pipeline immediately subsequent to the first swap request, wherein the second swap request requests swapping the first contents in the active register window with a second contents from a second register; and

determining if the ~~first swap request and the second swap request swap a same~~ first register is a same register as the second register; and

_____ executing the second swap request if the first swap request and the second swap request do not swap the same register, wherein executing the second swap request includes:

executing a second save operation wherein the first contents of the
active register window is saved to first register at substantially
simultaneously with the executing the first restore operation; and
executing a second restore operation, wherein the second contents of
the second register are restored to the active register window.

2. (Canceled)

3. (Canceled)

4. (Canceled)

5. (Currently Amended) The method of claim 1, further comprising:

delaying execution of the second swap request if the first register is the same
register as the second register ~~first swap request and the second swap request swap the~~
~~same register; and~~

executing the second swap request.

6. (Currently Amended) The method of claim 5, wherein the execution of the
second swap request is delayed ~~sufficient~~ sufficiently to allow the execution of the first
swap request to be completed.

7. (Original) The method of claim 5, wherein the execution of the second swap
request is delayed a predetermined number of clock cycles.

8. (Original) The method of claim 5, wherein the execution of the second swap
request is delayed one clock cycle.

9. (Original) The method of claim 1, wherein the pipeline includes more than one processing thread.

10. (Currently Amended) The method of claim 9, wherein determining if the first register is the same register as the second register includes determining if the first register in the corresponding processing thread is the same register as the second register in the corresponding ~~further includes the same register in a same~~ processing thread.

11. (Currently Amended) The method of claim 1, wherein determining if the ~~first swap request and the second swap request swap the same register~~ first register is the same register as the second register occurs as the second swap request is received.

12. (Currently Amended) A method for processing a plurality of consecutive swap requests in a multithreaded microprocessor pipeline comprising:

receiving a first swap request in a pipeline, wherein the first swap request requests swapping active contents of a active register window with a first contents from a first register;

executing the first swap request including:

executing a first save operation wherein the active contents of the active register window is saved to corresponding register; and

executing a first restore operation, wherein the first contents of the first register are restored to the active register window;

receiving a second swap request in the pipeline, wherein the second swap request requests swapping the first contents in the active register window with a second contents from a second register; and

determining if the first register in the corresponding processing thread is the first swap request and the second swap request swap a same register as the second register in the corresponding in a same processing thread; and

executing the second swap request if the first swap request and the second swap request do not swap the same register, wherein executing the second swap request includes:

_____ executing a second save operation wherein the first contents of the active register window is saved to first register at substantially simultaneously with the executing the first restore operation; and
_____ executing a second restore operation, wherein the second contents of the second register are restored to the active register window.

13. (Canceled)

14. (Currently Amended) The method of claim 12, further comprising:

delaying execution of the second swap request at least one clock cycle if the first register in the corresponding processing thread is the same register as the second register in the corresponding processing first swap request and the second swap request swap the same register; and
executing the second swap request.

15. (Currently Amended) A pipeline architecture for a processing thread comprising:

a plurality of pipeline registers, at least one of the plurality of pipeline registers being capable of comparing a first swap request and a second swap request; and
a plurality of active registers;

logic for receiving a first swap request in the pipeline wherein the first swap request requests swapping active contents of a first active register window of the plurality of active register windows in the pipeline with a first contents from a first register;

logic for executing the first swap request including:

executing a first save operation wherein the active contents of the first active register window is saved to corresponding register; and

executing a first restore operation, wherein the first contents of the first register are restored to the first active register window;

logic for receiving a second swap request in the pipeline immediately subsequent to the first swap request, wherein the second swap request requests swapping the first contents in the first active register window with a second contents from a second register;

logic for determining if the first register is a same register as the second register; and

logic for executing the second swap request if the first swap request and the second swap request do not swap the same register, wherein executing the second swap request includes:

executing a second save operation wherein the first contents of the active register window is saved to first register at substantially simultaneously with the executing the first restore operation; and

executing a second restore operation, wherein the second contents of the second register are restored to the active register window.

16. (Original) The pipeline architecture of claim 15, wherein the plurality of pipeline registers includes at least eight pipeline registers, and wherein the at least eight pipeline registers are linked to one of the plurality of active registers.

17. (Original) The pipeline architecture of claim 15, wherein the plurality of pipeline registers includes 32 pipeline registers.

18. (Original) The pipeline architecture of claim 15, wherein the pipeline architecture is one of at least two pipeline architectures in a single multithreaded microprocessor.